## SAFETY DATA SHEET

Issue Date 29-Jan-2019 Revision Date 29-Jan-2019 Version 1

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Product Name HIGH TEMP SYNTHETIC LUBRICATING OIL VG 220

Other means of identification

Product code:

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Lubricant.

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Address Howden Roots LLC 900 West Mount Street Connersville, Indiana 47331

Phone: 765-827-9332

Emergency telephone number

**Emergency Telephone** 

## 2. HAZARD IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

#### WHMIS 2015 Regulatory Status

This chemical is not considered hazardous by the Canadian Hazardous Products Regulations (WHMIS 2015).

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS)

#### **Label Elements**

**EMERGENCY OVERVIEW** 

Signal word

Not classified

#### **Hazard statements**

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Oil Physical state Liquid Odor Slight Sulphurous

Eyes None Skin None Inhalation None Ingestion None

Hazards not otherwise classified (HNOC)

Other information

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

The product contains no substances which at their given concentration, are considered to be hazardous to health.

#### 4. FIRST AID MEASURES

First aid measures

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If Eye contact:

eve irritation persists, consult a specialist.

Wash off immediately with soap and plenty of water. If a person feels unwell or symptoms Skin contact:

of skin irritation appear, consult a physician.

Inhalation: In the case of inhalation of aerosol/mist consult a physician if necessary.

Do not induce vomiting without medical advice. Drink 1 or 2 glasses of water. Consult a Ingestion:

physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Carbon dioxide (CO2). Dry chemical. Water spray mist or foam.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire

Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire, cool tanks with water spray.

**Explosion data** 

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

## HIGH TEMP SYNTHETIC LUBRICATING OIL VG 220

Personal precautions: Contaminated surfaces will be extremely slippery. Wear personal protective equipment.

Environmental precautions

**Environmental precautions:** Do not flush into surface water or sanitary sewer system.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

container.

## 7. HANDLING AND STORAGE

**Precautions for safe handling** 

Handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Contains mineral oil, vegetable oil, and/or synthetic oil. Under conditions which may

generate mists, observe the OSHA PEL of 5 mg/m³, ACGIH STEL of 10 mg/m³.

**Appropriate engineering controls** 

Engineering measures to reduce

exposure:

Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

**Respiratory protection:** Breathing apparatus needed only when aerosol or mist is formed.

Hand protection: Gloves made of plastic or rubber

Eye protection: Safety glasses

Skin and body protection: Usual safety precautions while handling the product will provide adequate protection

against this potential effect

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Liquid

point

Flash point

Appearance Oil Odor Slight Sulphurous Color Amber Odor thresholdNo information

available

PropertyValuesRemarks • MethodpHNot classifiedMeltingNo informationBoiling point / No information

point/freezing available boiling range available

able Dolling range availab

> 232 °C / Cleveland Open Cup **Evaporation** No information

450 °F rate available

#### HIGH TEMP SYNTHETIC **LUBRICATING OIL VG 220**

No information Flammability **Flammability** available Limit in Air (solid, gas)

No information No information Upper Lower available available flammability flammability limit:

limit:

No information Vapor density No information Vapor pressure available available

Specific < 0.9 Water Insoluble in Gravity solubility water

Solubility in No information Partition No information other solvents available coefficient available **Decomposition**No information Autoignition No information available available temperature temperature No information **Kinematic** approx. 233 **Dynamic** cSt @ 40 ° C viscosity available viscosity

No information available **Explosive properties Oxidizing properties** No information available

Other information

No information available Softening point No information available Molecular weight No information available **VOC Content (%) Liquid Density** No information available No information available **Bulk density** 

## 10. STABILITY AND REACTIVITY

Reactivity Not classified

Chemical stability

Stable under normal conditions Stability

**Possibility of Hazardous Reactions** 

Possibility of Hazardous

Reactions

None under normal use conditions.

Hazardous polymerization does not occur. Hazardous polymerization

Conditions to avoid

No special storage conditions required Conditions to avoid

**Hazardous Decomposition Products** 

**Hazardous Decomposition** 

**Products** 

Thermal decomposition can lead to release of irritating gases and vapors

Incompatible materials

Incompatible materials Oxidising agents

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

**Product Information** Product does not present an acute toxicity hazard based on known or supplied information

# HIGH TEMP SYNTHETIC LUBRICATING OIL VG 220

**Eye contact** May cause slight irritation.

**Skin contact** Substance does not generally irritate and is only mildly irritating to the skin.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

#### Information on toxicological effects

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization** No sensitization responses were observed.

**Mutagenic effects:** Did not show mutagenic or teratogenic effects in animal experiments.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

**Reproductive toxicity**This product does not contain any known or suspected reproductive hazards.

**STOT - single exposure**STOT - repeated exposure
None under normal use conditions.
None under normal use conditions.

Aspiration hazard Not classified.

## Numerical measures of toxicity - Product Information

**Unknown acute toxicity** 2.07 % of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 7858 mg/kg ATEmix (dermal) 5174 mg/kg ATEmix (inhalation-dust/mist) 30.3 mg/l ATEmix (inhalation-vapor) 25914 mg/l

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

No known hazards to the aquatic environment.

2.07 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

#### Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### **Mobility**

The product is insoluble and floats on water.

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

## 14. TRANSPORT INFORMATION

**DOT** Not Regulated by any means of transportation

TDG Not Regulated

IATA-DGR Not Regulated

IMO / IMDG Not Regulated

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA: Listed in TSCA
DSL: Not listed in DSL

EINECS/ELINCS
CHINA:
This product complies with EINECS/ELINCS
This product does not comply with China IECSC.
KECL:
This product does not comply with Korea KECL.
This product does not comply with Philippines PICCS.
AICS:
This product does not comply with Australia AICS

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## **Canada HPR Statement**

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations and the SDS contains all the information required by the Hazardous Products Regulations (WHMIS 2015).

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

# HIGH TEMP SYNTHETIC LUBRICATING OIL VG 220

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### State Regulations (RTK)

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

## U.S. State Right-to-Know Regulations

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not classified

## **16. OTHER INFORMATION**

NFPA: Health: 1 Flammability: 1 Instability 0

NFPA/HMIS \* for Carc, Muta, Tera, Specific Organ \*

HMIS health rating:

Health: 1 Flammability: 1 Physical hazards 0 Personal protection B

Issue Date29-Jan-2019Revision Date29-Jan-2019

**Revision Note** 

Reason for revision: None

**Disclaimer** 

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**