





Pressure Package Systems







4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL


				'_ ' '	LOOKII HON				Ditt		01
ITEM	DESCRIPTION	ITEM	DESCRIPTION	6	DED		ROTATING ENGINEERED PRODUCTS				
1	BASE	6	FILTER/SILENCER		INC.		2405 MURPHY BOULEVARD GAINE TOLL FREE: (800) 536-9933, (7			538-00	022
2	BLOWER	7	GUARD COVER	SCALE:	N.T.S.	TITLE:	GENERAL ARRANG	FMFNT D		MG	
3	MOTOR	8	RELIEF VALVE	DRAWN BY: AM	DATE: 11-17-99		VERSABASE	PACKAG	Ξ		
4	MOTOR SLIDE BASE	9	CHECK VALVE	CHECKED BY	: DATE:	HODEL //	CONFIGURATION DR	P1, FIGL		B HEET NO	T DEV
5	DISCHARGE SILENCER			APPD. BY:	DATE:	MUDEL/		CAWING NO.		OF 3	

DATE

SDBP058 A P1 1 OF 3


BY

-	ABLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO)LT & F00	T PRINT PA	ATTERN							
	BASE				DIMENSIONS	S IN INCHE	S								
\	/ MODEL	Н	TO TO THE TOTAL PROPERTY OF THE PROPERTY OF TH												
	23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8						
	34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8						
	567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8						



BASE ANCHOR BOLT & FOOTPRINT PATTERN
DIMENSION TOLERANCE: ±1/4


TA	BLE-2	VERSABASE	BASE C	APACITY	CHAI	RT								
	ROOTS	SUTORBILT	BLOWER	BASE				OTO	R HO	RSEF	OWE	?		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
	22 URAI	2MP	1	23	Х	X	Х	Х						
	24 URAI	2LP	2	23	Х	X	Х	Х						
	32 URAI	3HP	1-1/4	23	Х	Х	Х	Х						
	33 URAI	3MP	2	23	Х	Х	Х	Х						
	32 URAI	3HP	1-1/4	34					Χ	Х				
	33 URAI	3MP	2	34					Χ	Х				
	36 URAI	3LP	2-1/2	34		Х	Х	Х	Χ	Х				
	42 URAI	4HP	1-1/2	34		Х	Х	Х	Χ	Х				
	45 URAI	4MP	2-1/2	34		Х	Х	Х	Χ	Х				
	47 URAI	4LP	3	34		Х	Х	Х	Χ	Х				
	53 URAI	5HP	2-1/2	567					Χ	Х	Х	Х	Χ	Χ
	56 URAI	5MP	4	567					Х	Х	Х	Х	Х	Х
	59 URAI	5LP	4	567					Х	Х	Х	Х	Х	Х
	65 URAI	6HP	3	567					Х	Х	Х	Х	Χ	Х
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Χ




INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>LARGER</u> DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>EQUAL</u>

TA	3LE-3	DIMENSI	ON TABLE	E — VEF	RSABASE CON	FIGURATION P	1, FIGURE 8	, CCS FILTER	<u> </u>							
		—							NSIONS IN	INCHES						
	ROOTS	ZBILT DEL D.	BLOWER	BASE	DISCHARGE	DISCHARGE	INLET	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.	MODE NO	NPT CONN.	MODEL NO.	Α	AA	В	BB	С	D	DD	E	F	F	G	S
/	.,	S		,,,,,	EQUAL	EQUAL	(LARGER)	(LARGER)	(LARGER)	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4	37-7/8	35	34-7/8	10-3/4	7-7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8	48-3/4	45-1/4	44-5/8	19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4	39-3/8	36	34-3/4	12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8	48-3/4	45-1/4	44-5/8	19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42	43-5/8	40-1/8	39-1/4	10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45	48-3/4	45-1/4	49-1/8	13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46	50-1/2	46-1/4	43-1/8	15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42	43-5/8	40-1/8	35-7/8	10-7/8	7-3/8	8-1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46	50-1/2	46-1/4	45	15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4	57-3/4	53-1/8	44-7/8	22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2	58-1/4	54	49-1/2	14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4	66-1/4	61-1/4	50-1/8	22-1/8	17-1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4	66-1/4	61-1/4	50-1/8	22-1/8	17-1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4	61-3/4	57-1/4	52-5/8	17-5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	76 URAI	7HP	4	567	70-3/4	65-3/4	66-1/4	61-1/4	58-7/8	22-1/8	17–1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 8, CCS FILTER/SILENCER, LARGER/EQUAL






4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL

				KEY DESC	JAIF HON		י ן	MIL	ים
ITEM	DESCRIPTION	ITEM	DESCRIPTION	6	DED	ROTATING ENGINEERED PROD			
1	BASE	6	FILTER/SILENCER		INC.	2405 MURPHY BOULEVARD (TOLL FREE: (800) 536-993		770) 538-	-0022
2	BLOWER	7	GUARD COVER	SCALE:	N.T.S.	GENERAL ARRA	NGEMENT DRA	WING	
3	MOTOR	8	RELIEF VALVE	DRAWN BY: AM	DATE: 11-17-99	VERSABA	SE PACKAGE		
4	MOTOR SLIDE BASE	9	CHECK VALVE	CHECKED BY:	DATE:	CONFIGURATIO	N P1, FIGURE	5 7 Isheet n	uo I pro
5	DISCHARGE SILENCER			APPD. BY:	DATE:	MODEL/COSTOMER	SDBP057 A P1		


TA	BLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO)LT & F00	T PRINT PA	ATTERN						
	BASE				DIMENSIONS	S IN INCHE	S							
 	MODEL	Н	TO THE TOTAL TOTAL											
	23	20-1/8												
	34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8					
	567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8					



BASE ANCHOR BOLT & FOOTPRINT PATTERN

DIMENSION TOLERANCE: ±1/4

TA	BLE-2	VERSABASE	BASE C	APACITY	CHAI	RT								
	ROOTS	SUTORBILT	BLOWER	BASE				OTO	R HC	RSEF	OWER	7		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
Ť	22 URAI	2MP	1	23	Χ	Х	Х	Χ						
	24 URAI	2LP	2	23	Х	Х	Х	Х						
	32 URAI	3HP	1-1/4	23	Х	Х	Х	Х						
	33 URAI	3MP	2	23	Χ	Χ	Х	Χ						
	32 URAI	3HP	1-1/4	34					Х	Х				
	33 URAI	3MP	2	34					Х	Х				
	36 URAI	3LP	2-1/2	34		Х	Х	Χ	Х	Х				
	42 URAI	4HP	1-1/2	34		Χ	Х	Χ	Х	Х				
	45 URAI	4MP	2-1/2	34		Х	Х	Χ	Х	Х				
	47 URAI	4LP	3	34		Χ	Х	Χ	Х	Х				
	53 URAI	5HP	2-1/2	567					Х	Х	Х	Χ	Х	Χ
	56 URAI	5MP	4	567					Х	Х	Х	Χ	Х	Χ
	59 URAI	5LP	4	567					Χ	Χ	Χ	Χ	Х	Χ
	65 URAI	6HP	3	567					Χ	Χ	Χ	Χ	Х	Х
	68 URAI	6MP	5	567					Χ	Χ	Χ	Χ	Χ	Χ
	76 URAI	7HP	4	567					Χ	Χ	Х	Χ	Х	Χ





BOX IS BLUE IF ORIGINAL

INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>EQUAL</u> DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>EQUAL</u>

TA	BLE-3	DIMENSI	ON TABLE	E — VEF	RSABASE CON	FIGURATION P	1, FIGURE 7	, CCS FILTER								
		-						DIME	NSIONS IN	INCHES						
	ROOTS	TORBILT IODEL NO.	BLOWER	BASE	DISCHARGE	DISCHARGE	INLET	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.	SUTO MOI	NPT CONN.	MODEL NO.	Α	AA	В	BB	С	D	DD	E	F	F	G	S
🖳		S			EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4	37-3/8	34-1/2	33-7/8	10-3/4	7-7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8	46-1/2	43-1/8	31–1/8	19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4	39-3/8	36	34-3/4	12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8	46-1/2	43-1/8	31–1/8	19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42	43-5/8	40-1/8	39-1/4	10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45	46-1/2	43-1/8	36-5/8	13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46	50-1/2	46-1/4	43-1/8	15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42	43-5/8	40-1/8	35-7/8	10-7/8	7-3/8	8–1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46	50-1/2	46-1/4	45	15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4	57-3/4	53-1/8	44-1/8	22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2	58-1/4	54	49-1/2	14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4	66-1/4	61-1/4	48-7/8	22-1/8	17-1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4	66-1/4	61-1/4	48-7/8	22-1/8	17-1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4	61-3/4	57-1/4	51-7/8	17-5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	68 URAI	6MP	5	567	86	80-1/8	81-1/2	75–1/2	52-1/2	37–3/8	31-1/2	8-3/8	9-1/2	10-1/4	8-7/8	5
	76 URAI	7HP	4	567	70-3/4	65-3/4	66-1/4	61-1/4	57-1/2	22-1/8	17-1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 7, CCS FILTER/SILENCER, EQUAL/EQUAL





- 1. DIMENSION TOLERANCE: $\pm 1/2$, EXCEPT ANCHOR BOLT & FOOTPRINT PATTERN $\pm 1/4$.
- 2. INFORMATION HEREIN SUBJECT TO CHANGE WITHOUT NOTICE.
- 3. CONTACT FACTORY IF MOTOR OVERHANG DIMENSIONS ARE REQUIRED.

4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.


FIGURE 6, CCS FILTER/SILENCER, EQUAL/SMALLER

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL

				REV	DESCRIPTION		DATE	BY
ITEM	DESCRIPTION	ITEM	DESCRIPTION		SPEP	ROTATING ENGINEERED PRODUCTS, INC.	70504	
1	BASE	6	DISCHARGE SILENCER	٢	J' FEETING.	2405 MURPHY BOULEVARD GAINESVILLE, GA TOLL FREE: (800) 536-9933, (770) 538-0	.30504 020, FAX: (770) 53	i8-0022
2	BLOWER	7	FILTER/SILENCER	SCALE:	N.T.S.	TITLE: GENERAL ARRANGEMEN	DRAWING	2
3	MOTOR	8	GUARD COVER	DRAWN E		VERSABASE PACI	AGE	'
4	MOTOR SLIDE BASE	9	RELIEF VALVE	CHECKED	[[CONFIGURATION P3, I		T NO. REV.
5	INLET SILENCER	10	CHECK VALVE	APPD. BY	Y: DATE:	•		F 3 B


T.	ABLE-1	DIMEN	SION TABLE	– BASE	ANCHOR BO)LT & F00	T PRINT PA	ATTERN	
	BASE				DIMENSIONS	IN INCHE	S		
✓	MODEL	Н	J	K	L	М	N	Р	R DIA HOLE
	23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8
	34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8
	567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8



BASE ANCHOR BOLT & FOOTPRINT PATTERN


DIMENSION TOLERANCE: ±1/4


TAI	BLE-2	VERSABASE	BASE C	APACITY	CHA	RT.								
	ROOTS	SUTORBILT	BLOWER	BASE				ΙΟΤΟΙ	₹ H0	RSEF	OWE	?		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
/														
	24 URAI	2LP	2	23	Χ	Х	Χ	Χ						
	32 URAI	3HP	1-1/4	23	Χ	Χ	Χ	Χ						
	33 URAI	3MP	2	23	X	Х	Χ	X						
	32 URAI	3HP	1-1/4	34					Χ	Х				
	33 URAI	3MP	2	34					Χ	Х				
	36 URAI	3LP	2-1/2	34		Х	Χ	Χ	Χ	Х				
	42 URAI	4HP	1-1/2	34		Х	Χ	Χ	Χ	Х				
	45 URAI	4MP	2-1/2	34		Х	Χ	Χ	Χ	Х				
	47 URAI	4LP	3	34		Х	Χ	Χ	Х	Х				
	53 URAI	5HP	2-1/2	567					Х	Х	Х	Х	Х	Х
	56 URAI	5MP	4	567					Х	Х	Х	Х	Х	Х
	59 URAI	5LP	4	567					Χ	Х	Χ	Х	Х	Х
	65 URAI	6HP	3	567					Χ	Х	Χ	Х	Х	Х
	68 URAI	6MP	5	567					Χ	Χ	Χ	Χ	Χ	Х
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Х



TA	BLE-3	DIMENSI	ION TABLE	E – VEF	RSABASE CON	FIGURATION P	3, FIGURE 6	, CCS FILTER	?						
		<u> </u>						DIME	NSIONS IN I	NCHES					
	ROOTS	SUTORBILT MODEL NO.	BLOWER	BASE MODEL	DISCHARGE	DISCHARGE	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.		NPT CONN.	NO.	A	AA	В	С	D	DD	E	F	F	G	S
		S			(SMALLER)	(SMALLER)	EQUAL	EQUAL	(SMALLER)	(SMALLER)	(SMALLER)				
	24 URAI	2LP	2	23	40-7/8	37-1/2	47-3/4	37-1/2	12-1/2	9-1/8	5-3/4	5-5/8	6-1/4	3-7/8	1-1/2
	32 URAI	3HP	1-1/4	23	39-1/2	36-1/2	39-1/8	36-5/8	11–1/8	8-1/8	7	5-3/8	5-3/4	3–7/8	1
	33 URAI	3MP	2	23	40-7/8	37-1/2	47-3/4	37-1/2	12-1/2	9-1/8	5-3/4	5-3/4	6-1/4	3-7/8	1-1/2
	32 URAI	3HP	1-1/4	34	44-3/4	41-3/4	39-3/4	41-3/8	10-1/8	7–1/8	9-1/4	5-3/8	5-7/8	4-5/8	1
	33 URAI	3MP	2	34	45-3/4	42-1/4	48-3/8	42-1/8	11–1/8	7-5/8	8-1/8	5-7/8	6-1/4	4-5/8	1-1/2
	36 URAI	3LP	2-1/2	34	48-3/4	45-3/8	58-7/8	44-3/8	14	10-5/8	7-1/4	7	7-5/8	4-5/8	2
	42 URAI	4HP	1-1/2	34	45	42-1/8	39-3/4	41-3/8	10-3/8	7-1/2	9-1/4	5-3/4	6-1/2	4-5/8	1
	45 URAI	4MP	2-1/2	34	48-3/4	45-3/8	58-7/8	44-3/8	14	10-5/8	7-1/4	7-1/8	7-5/8	4-5/8	2
	47 URAI	4LP	3	34	50-1/2	46-1/4	64-3/8	44-3/8	15-7/8	11-5/8	7-1/4	8	8-7/8	4-5/8	2-1/2
	53 URAI	5HP	2-1/2	567	61-1/2	58-1/8	63-3/4	53-3/4	12-7/8	9-1/2	10-1/2	6-3/4	8	8-7/8	2
	56 URAI	5MP	4	567	66-7/8	62-1/4	75-3/4	54-3/4	18-1/4	13-5/8	10-1/2	8-1/8	9	8-7/8	3
	59 URAI	5LP	4	567	66-7/8	62-1/4	75-3/4	54-3/4	18-1/4	13-5/8	10-1/2	9-5/8	11	8-7/8	3
	65 URAI	6HP	3	567	63	58-3/4	69-1/4	53-3/4	14-3/8	10-1/8	10-1/2	8	8-1/2	8-7/8	2-1/2
	68 URAI	6MP	5	567	71–3/8	66-3/8	89-3/8	55-3/4	22-3/4	17-3/4	9-1/2	9-1/2	10-1/4	8-7/8	4
	76 URAI	7HP	4	567	62-3/4	58-1/4	75-3/4	54-3/4	14-1/8	9-5/8	10-1/2	8-1/4	9-1/8	8-7/8	3

FIGURE 6, CCS FILTER/SILENCER, EQUAL/SMALLER





- 1. DIMENSION TOLERANCE: $\pm 1/2$, EXCEPT ANCHOR BOLT & FOOTPRINT PATTERN $\pm 1/4$.
- 2. INFORMATION HEREIN SUBJECT TO CHANGE WITHOUT NOTICE.
- 3. CONTACT FACTORY IF MOTOR OVERHANG DIMENSIONS ARE REQUIRED.
- 4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.


BOX IS BLUE IF ORIGINAL

_					114	DESCRIPTION		DAIL	
	ITEM	DESCRIPTION	ITEM	DESCRIPTION	6	S DED	ROTATING ENGINEERED PRODUCTS, INC.	NFA4	
	1	BASE	6	DISCHARGE SILENCER	6	INC.	2405 MURPHY BOULEVARD GAINESVILLE, GA. 3 TOLL FREE: (800) 536–9933, (770) 538–002		-0022
	2	BLOWER	7	FILTER/SILENCER	SCALE:	N.T.S.	GENERAL ARRANGEMENT	DRAWING	
	3	MOTOR	8	GUARD COVER	DRAWN BY AIV		VERSABASE PACKA		
ĺ	4	MOTOR SLIDE BASE	9	RELIEF VALVE	CHECKED	[L	CONFIGURATION P3, FI		NO. REV.
	5	INLET SILENCER	10	CHECK VALVE	APPD. BY:	DATE:	MODEL/CUSTOMER DRAWING NO. SDBP055		3 B

REV DESCRIPTION


DATE

	TΑ	BLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO	DLT & F00	T PRINT PA	ATTERN						
		BASE				DIMENSIONS	S IN INCHE	S							
\		MODEL	H												
		23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8					
		34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8					
		567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8					



BASE ANCHOR BOLT & FOOTPRINT PATTERN
DIMENSION TOLERANCE: ±1/4

TA	BLE-2	VERSABASE	BASE C	APACITY	CHA	RT								
	ROOTS	SUTORBILT	BLOWER	BASE			١	OTO	R HO	RSEP	OWEF	?		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
\checkmark														
	22 URAI	2MP	1	23	Χ	Χ	Χ	Χ						
	24 URAI	2LP	2	23	Χ	Χ	Χ	Χ						
	32 URAI	3HP	1-1/4	23	Χ	Χ	Χ	Χ						
	33 URAI	3MP	2	23	Χ	Χ	Χ	Χ						
	32 URAI	3HP	1-1/4	34					Х	Χ				
	33 URAI	3MP	2	34					Х	Х				
	36 URAI	3LP	2-1/2	34		Χ	Χ	Χ	Х	Χ				
	42 URAI	4HP	1-1/2	34		Χ	Χ	Χ	Х	Χ				
	45 URAI	4MP	2-1/2	34		Χ	Χ	Χ	Х	Χ				
	47 URAI	4LP	3	34		Χ	Χ	Χ	Χ	Χ				
	53 URAI	5HP	2-1/2	567					Х	Χ	Х	Х	Χ	Х
	56 URAI	5MP	4	567					Χ	Χ	Х	Χ	Χ	Х
	59 URAI	5LP	4	567					Х	Х	Х	Х	Х	Х
	65 URAI	6HP	3	567					Х	Х	Х	Х	Х	Х
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Х




INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>LARGER</u> DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>EQUAL</u>

TA	BLE-3	DIMENSI	ON TABL	E – VEF	RSABASE CON	FIGURATION F	23, FIGURE 5	, CCS FILTER							
		<u> </u>						DIMEI	NSIONS IN	INCHES					
	ROOTS	SUTORBILT MODEL NO.	BLOWER	BASE MODEL	DISCHARGE	DISCHARGE	INLET	HEIGHT		DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.		NPT CONN.	NO.	A	AA	В	С	D	DD	E	F	F	G	S
✓		N.			EQUAL	EQUAL	(LARGER)	(LARGER)	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4	39-1/8	36-5/8	10-3/4	7–7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8	58-3/8	39-3/4	19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4	47-3/4	37-1/2	12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8	58-3/8	39-3/4	19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42	48-3/8	42-1/8	10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45	58-7/8	44-3/8	13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46	64-3/8	44-3/8	15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42	48-3/8	42-1/8	10-7/8	7-3/8	8-1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46	64-3/8	44-3/8	15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4	70-7/8	45-3/8	22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2	69-1/4	53-3/4	14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4	89-3/8	55-3/4	22-1/8	17-1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4	89-3/8	55-3/4	22-1/8	17-1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4	75-3/4	54-3/4	17–5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	76 URAI	7HP	4	567	70-3/4	65-3/4	89-3/8	55-3/4	22-1/8	17-1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 5, CCS FILTER/SILENCER, LARGER/EQUAL

			T	
В	TABLE-3, DIM A, AA, D, &	DD CHANGED.	8-3-00	AM
Α	TABLE-3, 53 URAI, DIM A,	AA, D, & DD CHANGED.	4-11-00	AM
REV	DESCRIPTION		DATE	BY
(REPINC	ROTATING ENGINEERED PRODUCTS, INC. 2405 MURPHY BOULEVARD GAINESVILLE, GA. 3 TOLL FREE: (800) 536–9933, (770) 538–002	0504 0, FAX: (770) 538-	-0022
SCALE: DRAWN B Al	vi [**** 10−12−99	GENERAL ARRANGEMENT VERSABASE PACKA	\GE	
CHECKED		CONFIGURATION P3, FI		
APPD. BY	: DATE: MOI	DEL/CUSTOMER DRAWING NO. SDBP055	A P3 3 OF	



1. DIMENSION TOLERANCE: $\pm 1/2$, EXCEPT ANCHOR BOLT & FOOTPRINT PATTERN $\pm 1/4$.

FIGURE 4, CCS FILTER/SILENCER, EQUAL/EQUAL

DATE

SDBP054 A P3 1 0F 3 B

ROTATING ENGINEERED PRODUCTS, INC.

2405 MURPHY BOULEVARD GAINESVILLE, GA. 30504 TOLL FREE: (800) 536–9933, (770) 538–0020, FAX: (770) 538–0022

GENERAL ARRANGEMENT DRAWING

VERSABASE PACKAGE
CONFIGURATION P3, FIGURE 4

BY

SHEET NO. REV.

REV DESCRIPTION


- 2. INFORMATION HEREIN SUBJECT TO CHANGE WITHOUT NOTICE.
- 3. CONTACT FACTORY IF MOTOR OVERHANG DIMENSIONS ARE REQUIRED.
- 4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL

INC.
TITLE:
MODEL/C
MODEL/C
-


	TΑ	BLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO)LT & F00	T PRINT PA	ATTERN						
		BASE				DIMENSIONS	IN INCHE	S							
l	/	MODEL	Н	H J K L M N P R DIA HOLE											
		23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8					
		34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8					
		567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8					



BASE ANCHOR BOLT & FOOTPRINT PATTERN

DIMENSION TOLERANCE: ±1/4


TA	BLE-2	VERSABASE	BASE C	APACITY	CHA	RT								
	ROOTS	SUTORBILT	BLOWER	BASE				OTO	₹ H0	RSEP	OWE	₹		
\ \	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
	22 URAI	2MP	1	23	Х	Х	Х	Χ						
	24 URAI	2LP	2	23	Х	Х	Х	Х						
	32 URAI	3HP	1-1/4	23	Х	Х	Х	Х						
	33 URAI	3MP	2	23	Х	Х	Х	Χ						
	32 URAI	3HP	1-1/4	34					Χ	Χ				
	33 URAI	3MP	2	34					Χ	Χ				
	36 URAI	3LP	2-1/2	34		Х	Х	Χ	Χ	Χ				
	42 URAI	4HP	1-1/2	34		Χ	Х	Χ	Χ	Χ				
	45 URAI	4MP	2-1/2	34		Χ	Х	Χ	Χ	Χ				
	47 URAI	4LP	3	34		Χ	Х	Χ	Χ	Χ				
	53 URAI	5HP	2-1/2	567					Χ	Χ	Χ	Х	Χ	Χ
	56 URAI	5MP	4	567					Χ	Χ	Χ	Х	Χ	Χ
	59 URAI	5LP	4	567					Χ	Χ	Χ	Х	Χ	Χ
	65 URAI	6HP	3	567					Χ	Χ	Χ	Х	Χ	Х
	68 URAI	6MP	5	567					Χ	Χ	Χ	Х	Χ	Χ
	76 URAI	7HP	4	567					Χ	Χ	Χ	Х	Χ	Χ




INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL

TA	BLE-3	DIMENS	ION TABLE	E – VEF	RSABASE CON	FIGURATION P	3, FIGURE 4	, CCS FILTER	?						
		–						DIME	NSIONS IN I	INCHES					
	ROOTS	RBILT DEL O.	BLOWER	BASE	DISCHARGE	DISCHARGE	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.	SUTORE MODE NO.	NPT CONN.	MODEL NO.	A	AA	В	С	D	DD	E	F	F	G	S
\checkmark	,,,,,	ls S			EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4	33-3/4	35	10-3/4	7–7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8	47-3/4	37-1/2	19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4	39-1/8	36-5/8	12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8	47-3/4	37-1/2	19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42	39-3/4	41-3/8	10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45	48-3/8	42-1/8	13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46	58-7/8	44-3/8	15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42	39-3/4	41-3/8	10-7/8	7-3/8	8-1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46	58-7/8	44-3/8	15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4	64-3/8	44-3/8	22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2	63-3/4	53-3/4	14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4	75-3/4	54-3/4	22-1/8	17–1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4	75-3/4	54-3/4	22-1/8	17–1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4	69-1/4	53-3/4	17-5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	68 URAI	6MP	5	567	86	80-1/8	89-3/8	55-3/4	37-3/8	31-1/2	8-3/8	9-1/2	10-1/4	8-7/8	5
	76 URAI	7HP	4	567	70-3/4	65-3/4	75-3/4	54-3/4	22-1/8	17–1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 4, CCS FILTER/SILENCER, EQUAL/EQUAL





- 1. DIMENSION TOLERANCE: $\pm 1/2$, EXCEPT ANCHOR BOLT & FOOTPRINT PATTERN $\pm 1/4$.
- 2. INFORMATION HEREIN SUBJECT TO CHANGE WITHOUT NOTICE.
- 3. CONTACT FACTORY IF MOTOR OVERHANG DIMENSIONS ARE REQUIRED.
- 4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL

				IVEA DES	CINII TION			DAIL	_ ''
ITEM	DESCRIPTION	ITEM	DESCRIPTION	6	DED	ROTATING ENGINEERED PRODU			
1	BASE	6	DISCHARGE SILENCER		INC.	2405 MURPHY BOULEVARD G TOLL FREE: (800) 536-9933	NNESVILLE, GA. 30304 , (770) 538–0020, F/	X: (770) 538	-0022
2	BLOWER	7	FILTER	SCALE:	N.T.S.	GENERAL ARRAN	IGEMENT DI	RAWING	
3	MOTOR	8	GUARD COVER	DRAWN BY: AM	DATE: 10-12-99	VERSABAS	E PACKAGI		
4	MOTOR SLIDE BASE	9	RELIEF VALVE	CHECKED BY:	DATE:	CONFIGURATIO			No l pp.
5	INLET SILENCER	10	CHECK VALVE	APPD. BY:	DATE:		DRAWING NO. SDBP053 A		NO. REV. 3 B


REV DESCRIPTION

FIGURE 3, CCF FILTER, EQUAL/SMALLER

DATE

BY


	TΑ	BLE-1	DIMEN	SION TABLE	– BASE	ANCHOR BO	DLT & F00	T PRINT PA	ATTERN						
		BASE				DIMENSIONS	S IN INCHE	S							
-	\checkmark	MODEL	Н												
Γ		23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8					
Γ		34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8					
		567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8					



BASE ANCHOR BOLT & FOOTPRINT PATTERN

DIMENSION TOLERANCE: ±1/4


TA	BLE-2	VERSABASE	BASE C	APACITY	CHAI	₹T								
	ROOTS	SUTORBILT	BLOWER	BASE			N	IOTON	R HC	RSEP	OWEF	₹		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
\checkmark	04 11041	01.0		0.7	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	\ <u>\</u>							
	24 URAI	2LP	2	23	Х	X	Χ	Χ						
	32 URAI	3HP	1-1/4	23	Χ	X	Χ	Χ						
	33 URAI	3MP	2	23	Х	X	Χ	Χ						
	32 URAI	3HP	1-1/4	34					Х	Х				
	33 URAI	3MP	2	34					Х	Х				
	36 URAI	3LP	2-1/2	34		Х	Χ	Χ	Х	Х				
	42 URAI	4HP	1-1/2	34		Х	Х	Х	Х	Х				
	45 URAI	4MP	2-1/2	34		Х	Χ	Χ	Х	Х				
	47 URAI	4LP	3	34		Х	Χ	Х	Х	Х				
	53 URAI	5HP	2-1/2	567					Х	Х	Χ	Х	Х	Χ
	56 URAI	5MP	4	567					Χ	Χ	Χ	Х	Χ	Χ
	59 URAI	5LP	4	567					Х	Х	Χ	Х	Χ	Χ
	65 URAI	6HP	3	567					Χ	Χ	Χ	Χ	Χ	Χ
	68 URAI	6MP	5	567					Χ	Χ	Χ	Χ	Χ	Χ
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Χ




INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>EQUAL</u> DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>SMALLER</u>

TA	BLE-3	DIMENS	ON TABL	E – VEF	RSABASE CON	FIGURATION P	3, FIGURE 3	, CCF FILTER	<u> </u>						
		—						DIME	NSIONS IN I	NCHES					
	ROOTS	SUTORBILT MODEL NO.	BLOWER	BASE MODEL	DISCHARGE	DISCHARGE	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.		NPT CONN.	NO.	A	AA	В	С	D	DD	E	F	F	G	S
$oxedsymbol{\checkmark}$		S			(SMALLER)	(SMALLER)	EQUAL	EQUAL	(SMALLER)	(SMALLER)	(SMALLER)				
	24 URAI	2LP	2	23	40-7/8	37-1/2	43-1/8	37-1/2	12-1/2	9-1/8	5-3/4	5-5/8	6-1/4	3–7/8	1-1/2
	32 URAI	3HP	1-1/4	23	39-1/2	36-1/2	34-1/2	36-5/8	11-1/8	8-1/8	7	5-3/8	5-3/4	3-7/8	1
	33 URAI	3MP	2	23	40-7/8	37-1/2	43-1/8	37-1/2	12-1/2	9-1/8	5-3/4	5-3/4	6-1/4	3-7/8	1-1/2
	32 URAI	3HP	1-1/4	34	44-3/4	41-3/4	35-1/8	41-3/8	10-1/8	7–1/8	9-1/4	5-3/8	5-7/8	4-5/8	1
	33 URAI	3MP	2	34	45-3/4	42-1/4	43-3/4	42-1/8	11-1/8	7-5/8	8-1/8	5-7/8	6-1/4	4-5/8	1-1/2
	36 URAI	3LP	2-1/2	34	48-3/4	45-3/8	48-3/4	44-3/8	14	10-5/8	7-1/4	7	7-5/8	4-5/8	2
	42 URAI	4HP	1-1/2	34	45	42-1/8	35-1/8	41-3/8	10-3/8	7-1/2	9-1/4	5-3/4	6-1/2	4-5/8	1
	45 URAI	4MP	2-1/2	34	48-3/4	45-3/8	48-3/4	44-3/8	14	10-5/8	7-1/4	7–1/8	7-5/8	4-5/8	2
	47 URAI	4LP	3	34	50-1/2	46-1/4	54-1/8	44-3/8	15-7/8	11-5/8	7-1/4	8	8-7/8	4-5/8	2-1/2
	53 URAI	5HP	2-1/2	567	61-1/2	58-1/8	53-5/8	53-3/4	12-7/8	9-1/2	10-1/2	6-3/4	8	8-7/8	2
	56 URAI	5MP	4	567	66-7/8	62-1/4	65-3/4	54-3/4	18-1/4	13-5/8	10-1/2	8-1/8	9	8-7/8	3
	59 URAI	5LP	4	567	66-7/8	62-1/4	65-3/4	54-3/4	18-1/4	13-5/8	10-1/2	9-5/8	11	8-7/8	3
	65 URAI	6HP	3	567	63	58-3/4	59	53-3/4	14-3/8	10-1/8	10-1/2	8	8-1/2	8-7/8	2-1/2
	68 URAI	6MP	5	567	71–3/8	66-3/8	79-1/2	55-3/4	22-3/4	17-3/4	9-1/2	9-1/2	10-1/4	8-7/8	4
	76 URAI	7HP	4	567	62-3/4	58-1/4	65-3/4	54-3/4	14-1/8	9-5/8	10-1/2	8-1/4	9-1/8	8-7/8	3

FIGURE 3, CCF FILTER, EQUAL/SMALLER





- 1. DIMENSION TOLERANCE: $\pm 1/2$, EXCEPT ANCHOR BOLT & FOOTPRINT PATTERN $\pm 1/4$.
- 2. INFORMATION HEREIN SUBJECT TO CHANGE WITHOUT NOTICE.
- 3. CONTACT FACTORY IF MOTOR OVERHANG DIMENSIONS ARE REQUIRED.
- 4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.


BOX IS BLUE IF ORIGINAL

_					''-'	DECORUI HOH				D	.
	ITEM	DESCRIPTION	ITEM	DESCRIPTION	6	DE		ROTATING ENGINEERED PRODU			
	1	BASE	6	DISCHARGE SILENCER	ي ا) [*] RE	INC.	2405 MURPHY BOULEVARD GA TOLL FREE: (800) 536-9933		(: (770) 538-	-0022
	2	BLOWER	7	FILTER	SCALE:	N.T.S.		GENERAL ARRAN	CEMENT DR	AWING	
	3	MOTOR	8	GUARD COVER	DRAWN BY		-99	VERSABAS	E PACKAGE		
	4	MOTOR SLIDE BASE	9	RELIEF VALVE	CHECKED	BY: DATE:		CONFIGURATIO			NO. REV.
Ī	5	INLET SILENCER	10	CHECK VALVE	APPD. BY:	DATE:			drawing no. SDBP052 A F		

REV DESCRIPTION


DATE BY

	ABLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO)LT & F00	T PRINT PA	ATTERN								
	BASE				DIMENSIONS	S IN INCHE	S									
~	MODEL	Н	H J K L M N P R DIA HOLE													
	23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8							
	34	24-3/4	, , , , , , , , , , , , , , , , , , , ,													
	567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8							



BASE ANCHOR BOLT & FOOTPRINT PATTERN
DIMENSION TOLERANCE: ±1/4


TA	BLE-2	VERSABASE	BASE C	APACITY	CHAI	₹T								
	ROOTS	SUTORBILT	BLOWER	BASE			N	IOTON	R HO	RSEF	OWE	?		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
\checkmark														
	22 URAI	2MP	1	23	Χ	Χ	Χ	Χ						
	24 URAI	2LP	2	23	X	Χ	Χ	Χ						
	32 URAI	3HP	1-1/4	23	Χ	Х	Χ	Χ						
	33 URAI	3MP	2	23	Χ	Х	Х	Χ						
	32 URAI	3HP	1-1/4	34					Χ	Х				
	33 URAI	3MP	2	34					Χ	Х				
	36 URAI	3LP	2-1/2	34		Х	Х	Χ	Χ	Х				
	42 URAI	4HP	1-1/2	34		Х	Х	Χ	Χ	Х				
	45 URAI	4MP	2-1/2	34		Х	Х	Χ	Χ	Х				
	47 URAI	4LP	3	34		Х	Х	Χ	Χ	Х				
	53 URAI	5HP	2-1/2	567					Х	Х	Х	Х	Х	Х
	56 URAI	5MP	4	567					Х	Х	Х	Х	Х	Х
	59 URAI	5LP	4	567					Х	Х	Х	Х	Х	Х
	65 URAI	6HP	3	567					Х	Х	Х	Х	Х	Х
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Х




INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: <u>LARGER</u> DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL

TΑ	BLE-3	DIMENSI	ION TABLE	E – VEF	RSABASE CON	FIGURATION P	3, FIGURE 2	, CCF FILTER	?						
		—						DIME	NSIONS IN I	NCHES					
	ROOTS	SUTORBILT MODEL NO.	BLOWER	BASE	DISCHARGE	DISCHARGE	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.		NPT CONN.	MODEL NO.	A	AA	В	С	D	DD	E	F	F	G	S
\rfloor	'	lS S			EQUAL	EQUAL	(LARGER)	(LARGER)	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4	34-1/2	36-5/8	10-3/4	7–7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8	48-1/8	39-3/4	19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4	43-1/8	37-1/2	12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8	48-1/8	39-3/4	19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42	43-3/4	42-1/8	10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45	48-3/4	44-3/8	13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46	54-1/8	44-3/8	15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42	43-3/4	42-1/8	10-7/8	7-3/8	8-1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46	54-1/8	44-3/8	15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4	60-7/8	45-3/8	22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2	59	53-3/4	14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4	79-1/2	55-3/4	22-1/8	17–1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4	79-1/2	55-3/4	22-1/8	17–1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4	65-3/4	54-3/4	17-5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	76 URAI	7HP	4	567	70-3/4	65-3/4	79-1/2	55-3/4	22-1/8	17–1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 2, CCF FILTER, LARGER/EQUAL





- 1. DIMENSION TOLERANCE: $\pm 1/2$, EXCEPT ANCHOR BOLT & FOOTPRINT PATTERN $\pm 1/4$.
- 2. INFORMATION HEREIN SUBJECT TO CHANGE WITHOUT NOTICE.
- 3. CONTACT FACTORY IF MOTOR OVERHANG DIMENSIONS ARE REQUIRED.
- 4. PACKAGE SHOWN IS A VB 34 WITH 3" COMPONENTS.

REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL


ſ	TEM	DESCRIPTION	ITEM	DESCRIPTION	6	DED	ROTATING ENGINEERED PRODU		•
	1	BASE	6	DISCHARGE SILENCER	S ,	INC.	2405 MURPHY BOULEVARD G TOLL FREE: (800) 536-9933	AINESVILLE, GA. 30504 , (770) 538–0020, FAX: (770) 53	58-0022
	2	BLOWER	7	FILTER	SCALE:	N.T.S.	TITLE: CENERAL ARRAN	IGEMENT DRAWING	2
	3	MOTOR	8	GUARD COVER	DRAWN BY: AM	DATE: 10-12-99	VERSABAS	E PACKAGE	,
	4	MOTOR SLIDE BASE	9	RELIEF VALVE	CHECKED BY:	DATE:		P3, FIGURE 1A	T NO DD/
	5	INLET SILENCER	10	CHECK VALVE	APPD. BY:	DATE:		SDBP051 A P3A 1 C	T NO. REV.

REV DESCRIPTION

FIGURE 1A, CCF FILTER, EQUAL/EQUAL


DATE BY

TΑ	BLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO)LT & F00	T PRINT PA	ATTERN							
	BASE				DIMENSIONS	IN INCHE	S								
√	MODEL	Н													
	23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8						
	34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8						
	567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8						



BASE ANCHOR BOLT & FOOTPRINT PATTERN
DIMENSION TOLERANCE: ±1/4


TA	BLE-2	VERSABASE	BASE C	APACITY	CHA	RT								
	ROOTS	SUTORBILT	BLOWER	BASE				OTO	R HO	RSEP	OWEF	?		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
<u> </u>	22 URAI	2MP	1	23	Х	Х	Х	Х						
	24 URAI	2LP	2	23	Х	Χ	Х	Χ						
	32 URAI	3HP	1-1/4	23	Х	Х	Х	Χ						
	33 URAI	3MP	2	23	Χ	Χ	Х	Χ						
	32 URAI	3HP	1-1/4	34					Χ	Χ				
	33 URAI	3MP	2	34					Χ	Χ				
	36 URAI	3LP	2-1/2	34		Χ	Х	X	Χ	X				
	42 URAI	4HP	1-1/2	34		Χ	Х	X	Χ	Χ				
	45 URAI	4MP	2-1/2	34		Χ	Х	X	Χ	Χ				
	47 URAI	4LP	3	34		Χ	Х	X	Χ	Χ				
	53 URAI	5HP	2-1/2	567					Χ	Χ	Χ	Χ	Χ	Χ
	56 URAI	5MP	4	567					Χ	Χ	Χ	Х	Χ	Х
	59 URAI	5LP	4	567					Χ	Χ	Χ	Х	Χ	Χ
	65 URAI	6HP	3	567					Χ	Χ	Χ	Χ	Χ	Х
	68 URAI	6MP	5	567					Χ	Χ	Χ	Χ	Χ	Х
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Χ




INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL

TA	BLE-3	DIMENS	ION TABL	E – VEF	RSABASE CON	FIGURATION P	3, FIGURE 1	, CCF FILTER	}						
		-						DIME	NSIONS IN I	NCHES					
	ROOTS	SUTORBILT MODEL NO.	BLOWER	BASE	DISCHARGE	DISCHARGE	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
	MODEL NO.		NPT CONN.	MODEL NO.	Α	AA	В	С	D	DD	E	F	F	G	S
✓		lS S			EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4	33-3/4	35	10-3/4	7–7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8	43-1/8	37-1/2	19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4	34-1/2	36-5/8	12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8	43-1/8	37-1/2	19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42	35-1/8	41-3/8	10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45	43-3/4	42-1/8	13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46	48-3/4	44-3/8	15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42	35-1/8	41-3/8	10-7/8	7–3/8	8-1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46	48-3/4	44-3/8	15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4	54-1/8	44-3/8	22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2	53-5/8	53-3/4	14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4	65-3/4	54-3/4	22-1/8	17–1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4	65-3/4	54-3/4	22-1/8	17–1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4	59	53-3/4	17-5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	68 URAI	6MP	5	567	86	80-1/8	79-1/2	55-3/4	37-3/8	31-1/2	8-3/8	9-1/2	10-1/4	8-7/8	5
	76 URAI	7HP	4	567	70-3/4	65-3/4	65-3/4	54-3/4	22-1/8	17–1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 1A, CCF FILTER, EQUAL/EQUAL





REP INC. CLAIMS PROPRIETARY RIGHTS TO THE INFORMATION DISCLOSED HEREIN. THIS INFORMATION IS LOANED FOR REFERENCE ONLY AND MAY NOT BE REPRODUCED OR USED

FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM REP INC.

BOX IS BLUE IF ORIGINAL


MI	ONEN	15.			REV	SCRIPTION		
	ITEM	DESCRIPTION	ITEM	DESCRIPTION	6	DED)	Ī
	1	BASE	6	DISCHARGE SILENCER	(S)	REFINC.		
	2	BLOWER	7	FILTER/SILENCER	SCALE:	N.T.S.	TITLE:	_
	3	MOTOR	8	GUARD COVER	DRAWN BY: AM	DATE: 11-1-2000	1	
	4	MOTOR SLIDE BASE	9	RELIEF VALVE	CHECKED BY:	DATE:	MODEL/C	41
	5	INLET SILENCER	10	CHECK VALVE	APPD. BY:	DATE:	MODEL/C	·U

ROTATING ENGINEERED PRODUCTS, INC. 2405 MURPHY BOULEVARD GAINESVILLE, GA. 30504 TOLL FREE: (800) 536–9933, (770) 538–0020, FAX: (770) 538–0022

GENERAL ARRANGEMENT DRAWING VERSABASE PACKAGE CONFIGURATION P2, FIGURE 17


SHEET NO. REV. SDBP054 A P2 1 0F 3 A

TA	BLE-1	DIMEN	SION TABLE	- BASE	ANCHOR BO	DLT & F00	T PRINT PA	ATTERN							
	BASE				DIMENSIONS	S IN INCHE	S								
\	MODEL	Ι	H J K L M N P R DIA HOLE												
	23	20-1/8	26-1/2	15-3/8	1-15/16	2-3/8	3-3/8	30-3/8	5/8						
	34	24-3/4	33	18	1-11/16	3-3/8	3-3/16	36-3/8	5/8						
	567	30-1/2	46-1/4	21	2-3/8	4-3/4	3-7/8	51	7/8						



BASE ANCHOR BOLT & FOOTPRINT PATTERN
DIMENSION TOLERANCE: ±1/4

TA	BLE-2	VERSABASE	BASE C	APACITY	CHA	RT								
	ROOTS	SUTORBILT	BLOWER	BASE			N	OTO	R HO	RSEP	OWER	7		
	MODEL NO.	MODEL NO.	NPT CONN.	MODEL NO.	3	5	7.5	10	15	20	25	30	40	50
\vdash	22 URAI	2MP	1	23	Х	Х	Х	Х						
	24 URAI	2LP	2	23	Х	Х	Х	Х						
	32 URAI	3HP	1-1/4	23	Χ	Х	Х	Χ						
	33 URAI	3MP	2	23	Χ	Х	Х	Χ						
	32 URAI	3HP	1-1/4	34					Х	Χ				
	33 URAI	3MP	2	34					Х	Х				
	36 URAI	3LP	2-1/2	34		Х	Х	Χ	Х	Χ				
	42 URAI	4HP	1-1/2	34		Х	Х	Χ	Х	Х				
	45 URAI	4MP	2-1/2	34		Χ	Х	Χ	Х	Χ				
	47 URAI	4LP	3	34		Х	Х	Χ	Х	Χ				
	53 URAI	5HP	2-1/2	567					Х	Χ	Χ	Χ	Χ	Х
	56 URAI	5MP	4	567					Х	Χ	Χ	Χ	Χ	Х
	59 URAI	5LP	4	567					Х	Χ	Х	Χ	Χ	Х
	65 URAI	6HP	3	567					Χ	Χ	Χ	Χ	Χ	Х
	68 URAI	6MP	5	567					Χ	Χ	Χ	Χ	Χ	Х
	76 URAI	7HP	4	567					Χ	Χ	Χ	Χ	Χ	Х



INLET SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL DISCHARGE SILENCER SIZE RELATIVE TO BLOWER CONNECTION SIZE: EQUAL

TA	3LE-3	DIMENS	DIMENSION TABLE - VERSABASE CONFIGURATION P2, CCS FILTER												
	ROOTS MODEL NO.	SUTORBILT MODEL NO.	BLOWER NPT CONN.		DIMENSIONS IN INCHES										
					DISCHARGE	DISCHARGE	INLET	HEIGHT	DISCHARGE	DISCHARGE	DISCHARGE	ROOTS	SUTORBILT		MPT
					Α	AA	В	С	D	DD	Ε	F	F	G	S
\checkmark					EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL	EQUAL				
	22 URAI	2MP	1	23	39-1/8	36-1/4			10-3/4	7-7/8	7	4-5/8	5-1/4	3-7/8	1
	24 URAI	2LP	2	23	47-3/4	44-3/8			19-3/8	16	5	5-5/8	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	23	40-5/8	37-1/4			12-1/4	8-7/8	5-3/4	5-3/8	5-3/4	3-7/8	1-1/2
	33 URAI	3MP	2	23	47-3/4	44-3/8			19-3/8	16	5	5-3/4	6-1/4	3-7/8	2
	32 URAI	3HP	1-1/4	34	45-1/2	42			10-7/8	7-3/8	8-1/8	5-3/8	5-7/8	4-5/8	1-1/2
	33 URAI	3MP	2	34	48-3/8	45			13-5/8	10-1/4	7-1/4	5-7/8	6-1/4	4-5/8	2
	36 URAI	3LP	2-1/2	34	50-1/4	46			15-1/2	11-1/4	7-1/4	7	7-5/8	4-5/8	2-1/2
	42 URAI	4HP	1-1/2	34	45-1/2	42			10-7/8	7-3/8	8-1/8	5-3/4	6-1/2	4-5/8	1-1/2
	45 URAI	4MP	2-1/2	34	50-1/4	46			15-1/2	11-1/4	7-1/4	7–1/8	7-5/8	4-5/8	2-1/2
	47 URAI	4LP	3	34	57-3/8	52-3/4			22-5/8	18-1/8	7-1/4	8	8-7/8	4-5/8	3
	53 URAI	5HP	2-1/2	567	62-3/4	58-1/2			14-1/8	9-7/8	10-1/2	6-3/4	8	8-7/8	2-1/2
	56 URAI	5MP	4	567	70-3/4	65-3/4			22-1/8	17–1/8	9-1/2	8-1/8	9	8-7/8	4
	59 URAI	5LP	4	567	70-3/4	65-3/4			22-1/8	17–1/8	9-1/2	9-5/8	11	8-7/8	4
	65 URAI	6HP	3	567	66-1/4	61-3/4			17–5/8	13-1/8	10-1/2	8	8-1/2	8-7/8	3
	68 URAI	6MP	5	567	86	80-1/8			37-3/8	31-1/2	8-3/8	9-1/2	10-1/4	8-7/8	5
	76 URAI	7HP	4	567	70-3/4	65-3/4	68-5/8	70-1/2	22-1/8	17-1/8	9-1/2	8-1/4	9-1/8	8-7/8	4

FIGURE 17, CCS FILTER/SILENCER, EQUAL/EQUAL



Α	ADDED FIGURE 17.		12-4	АМ							
REV	DESCRIPTION					ΓE	BY				
Q	5 REP.		ROTATING ENGINEERED PRODUCTS, INC. 2405 MURPHY BOULEVARD GAINESVILLE, GA. 30504 TOLL FREE: (800) 536–9933, (770) 538–0020, FAX: (770) 538–0022								
SCALE: DRAWN E A CHECKED	N.1.5. M: DATE: M 11-1-2000	TITLE:	GENERAL ARRANGEMENT DRAWING VERSABASE PACKAGE CONFIGURATION P2, FIGURE 17								
APPD. B	r: Date:	MODEL/0	CUSTOMER	DRAWING NO. SDBP054		SHEET NO. 3 OF 3	REV.				